


Classic Colour Range.





Hamptons White
SA 0.27 | SRI 90



Off White
SA 0.38 | SRI 81




Merino
SA 0.45 | SRI 65



Smooth Cream
SA 0.37 | SRI 76



Birch
SA 0.47 | SRI 62



Gull Grey
SA 0.43 | SRI 68



Montauk
SA 0.39 | SRI 76



Stony Brook
SA 0.59 | SRI 46




Wallaroo
SA 0.64 | SRI 39



Basal
SA 0.69 | SRI 33



Iron Grey
SA 0.74 | SRI 26



Mountain Blue
SA 0.75 | SRI 25



Armour Grey
SA 0.58 | SRI 46




Jasmin Brown
SA 0.68 | SRI 34




Slate Grey
SA 0.71 | SRI 30



Monolith
SA 0.73 | SRI 28



Ebony
SA 0.96 | SRI 0



Heritage Red
SA 0.74 | SRI 26



Caulfield Green
SA 0.75 | SRI 25




Mist Green
SA 0.60 | SRI 45

SA: Solar Absorption
SRI: Solar Reflective Index


Note: Slight variations may occur
from the pre painted materials and
the colours displayed in print.

Our Profiles.


Rolex




700 Deck



Rolpanel




Dualclad




Our Products.

We are a trusted supplier of roof profiles, wall cladding profiles, custom flashings, gutter, roll top ridging, vee profile ridge, purlins, top hat battens and roof battens.

Rolltop Ridge




Fascia Gutter




Fascia



Top Hat Battens




Purlins




Quad Spouting




Downpipe



Valley



Vee Ridge Profile



Durability.

Classic Colour Range is a durable product, thoughtfully designed to provide high formability and color retention. Using use a hot-dipped aluminium/zinc alloy coated steel coil, 150gms/m² coating weight. Manufactured to AS 1397:2011. Paint is then applied with a baked on system which has different weathering characteristics to standard air drying paints. This proven technology provides resistance to chipping, peeling or cracking and has been performing in the Australian market for over 30 years.

Flexibility.

The Classic Colour Range is suitable for roofing, cladding, rainwater goods, garage doors and many other end use applications.

Warranty.

The Classic Colour Range is warranted by Robot Building Supplies for up to 30 years on roofing and ISO Atmospheric Classifications 1 - 3. Subject to terms and conditions.



MILD
ISO Category 1-2
Far Inland



MILD
ISO Category 2
Inland



MILD
ISO Category 3
Areas affected by coastal salts



Our Locations.

Notting Hill	(03) 9543 3666
Dromana	(03) 5987 1166
Sunshine	(03) 9363 0666
Preston	(03) 9487 9700
Pakenham	(03) 5942 8579
Darnum	(03) 5627 8446
Coldstream	(03) 9739 0856
Coldstream	(03) 9739 1387
<i>Timber Yard</i>	
Dandenong	(03) 9238 1100
<i>Manufacturing</i>	

robotbuildingsupplies.com.au